

# Contents

Figures and tables / ix

## Preface / xiii

Prerequisites / xiv

What this manual contains / xiv

How to use this manual / xiv

Conventions used in this book / xv

Graphics / xv

Where to get information / xvi

    About APDA / xvi

    About Developer Programs / xvi

## 1 ResEdit Overview / 1

Resources / 2

    New and changed resource types supported by ResEdit 2.0 / 3

Resource categories in ResEdit / 3

Uses / 4

Extensibility / 4

The resource development cycle / 5

## 2 Getting Started / 7

Invoking ResEdit / 8

Working with files / 9

    Resource checking / 9

    Opening a file / 10

Menus in ResEdit / 13

    The File menu / 13

    The Edit menu / 17

    The Resource menu / 18

    The Window menu / 22

    The View menu / 23

Resource ID numbers / 25

### 3 Editing Individual Resources / 27

Starting an Editor / 28

Bit editors / 28

Monochrome editors / 28

Color editors / 29

Using the hexadecimal editor / 30

'WIND' resources / 30

'ALRT' and 'DLOG' resources / 32

'DITL' resources / 35

'BNDL' resources / 38

Editing 'icn' resources / 42

Tools / 42

The Transform menu / 43

Creating new color icons / 44

'CURS' resources / 46

Finder icons / 47

Tools / 48

The Transform menu / 48

'ICON' resources / 50

'ICN#' resources / 51

'SICN' resources / 53

'FONT' resources / 54

Editing 'FONT' resources / 55

'PAT' resources / 58

'PAT#' resources / 59

'INTL', 'itl0', and 'itl1' resources / 60

'KCHR' resources / 62

The main 'KCHR' editor / 62

The character chart / 63

The table chart / 63

The virtual keycode chart / 64

The keyboard region / 64

The information region / 64

Editing dead keys / 65

The dead-key editor / 65

The character chart / 65

The nomatch character / 66

The completion and substitution character pair list / 66

The Trash / 66



	The information region / 66
	The menus / 67
	The KCHR menu / 67
	The Font menu / 69
	The Size menu / 69
	'MENU' resources / 69
<b>4</b>	<b>Using ResEdit Templates / 75</b>
	Template Characteristics / 76
	Editing / 77
	'PICT' editing / 77
<b>5</b>	<b>Creating ResEdit Templates / 79</b>
	Template Example / 80
<b>6</b>	<b>ResEdit Tips / 85</b>
	Hints and kinks / 86
	The 'LAYO' resource / 89
	'KCHR' questions and answers / 94
<b>7</b>	<b>The Programmatic Interface / 97</b>
	Pickers and editors / 98
	Code-containing resources in the ResEdit release / 98
	Samples / 99
	Sample editor / 99
	Sample picker / 99
	Sample LDEF / 100
	Building the examples / 100
	Using ResEd / 100
	Writing a ResEdit extension / 101
	ResEdit 2.0 changes / 102
	ResEd changes for the 2.0 release / 102
	Required routines / 103
	EditBirth / 103
	PickBirth / 104
	DoEvent / 104
	DoInfoUpdate / 104

	DoMenu / 105
	Using custom LDEFs / 105
	The ResEd interface / 106
	Data structures / 106
	The parent record / 107
	The picker record / 107
	Other routines / 108
	Launching routines / 108
	Information-passing routines / 109
	Window management routines / 110
	Resource utilities / 113
	Miscellaneous utilities / 115
	Internal routines / 124
	Obsolete routines / 127
<b>A</b>	<b>The 'KCHR' Resource / 129</b>
	Basic theory of keyboard operation / 130
	Generating the virtual keycode / 130
	Exceptions to the rule / 130
	Generating the character code / 130
	Dead keys / 131
	The structure of a 'KCHR' resource / 132
<b>B</b>	<b>The 'BNDL' Resource / 135</b>
	The structure of a 'BNDL' resource / 136
	Definitions of the 'BNDL' and 'FREF' resources / 139
<b>C</b>	<b>The Resource Types Defined for Rez and ResEdit / 141</b>
<b>D</b>	<b>The Macintosh Character Set / 147</b>
	<b>Index / 149</b>