

Full Contents of Reference Volumes 1–3

Contents of Reference Volume 1

intro	Introduction to base reference manual
about	Display information about my version of Stata
adjust	Tables of adjusted means and proportions
alpha	Cronbach's alpha
ameans	Arithmetic, geometric, and harmonic means
anova	Analysis of variance and covariance
anova postestimation	Postestimation tools for anova
areg	Linear regression with a large dummy-variable set
areg postestimation	Postestimation tools for areg
asmprobit	Alternative-specific multinomial probit regression
asmprobit postestimation	Postestimation tools for asmprobit
binreg	Generalized linear models: Extensions to the binomial family
binreg postestimation	Postestimation tools for binreg
biprobit	Bivariate probit regression
biprobit postestimation	Postestimation tools for biprobit
bitest	Binomial probability test
bootstrap	Bootstrap sampling and estimation
bootstrap postestimation	Postestimation tools for bootstrap
boxcox	Box–Cox regression models
boxcox postestimation	Postestimation tools for boxcox
brier	Brier score decomposition
bsample	Sampling with replacement
bstat	Report bootstrap results
centile	Report centile and confidence interval
ci	Confidence intervals for means, proportions, and counts
clogit	Conditional (fixed-effects) logistic regression
clogit postestimation	Postestimation tools for clogit
cloglog	Complementary log-log regression
cloglog postestimation	Postestimation tools for cloglog
cnreg	Censored-normal regression
cnreg postestimation	Postestimation tools for cnreg
cnsgreg	Constrained linear regression
cnsgreg postestimation	Postestimation tools for cnsgreg
constraint	Define and list constraints
copyright	Display copyright information
correlate	Correlations (covariances) of variables or estimators
cumul	Cumulative distribution
cusum	Cusum plots and tests for binary variables
db	Launch dialog
diagnostic plots	Distributional diagnostic plots
display	Substitute for a hand calculator
do	Execute commands from a file
doedit	Edit do-files and other text files
dotplot	Comparative scatterplots

dstdize	Direct and indirect standardization
dydx	Calculate numeric derivatives and integrals
eivreg	Errors-in-variables regression
eivreg postestimation	Postestimation tools for eivreg
error messages	Error messages and return codes
estat	Postestimation statistics
estimates	Estimation results
estimation options	Estimation options
exit	Exit Stata
fracpoly	Fractional polynomial regression
fracpoly postestimation	Postestimation tools for fracpoly
frontier	Stochastic frontier models
frontier postestimation	Postestimation tools for frontier
gllamm	Generalized linear and latent mixed models
glm	Generalized linear models
glm postestimation	Postestimation tools for glm
glogit	Logit and probit for grouped data
glogit postestimation	Postestimation tools for glogit, gprobit, blogit, and bprobit
grmeanby	Graph means and medians by categorical variables
hausman	Hausman specification test
heckman	Heckman selection model
heckman postestimation	Postestimation tools for heckman
heckprob	Probit model with selection
heckprob postestimation	Postestimation tools for heckprob
help	Display online help
hetprob	Heteroskedastic probit model
hetprob postestimation	Postestimation tools for hetprob
histogram	Histograms for continuous and categorical variables
inequality	Inequality measures
intreg	Interval regression
intreg postestimation	Postestimation tools for intreg
ivprobit	Probit model with endogenous regressors
ivprobit postestimation	Postestimation tools for ivprobit
ivreg	Instrumental variables (two-stage least-squares) regression
ivreg postestimation	Postestimation tools for ivreg
ivtobit	Tobit model with endogenous regressors
ivtobit postestimation	Postestimation tools for ivtobit
jackknife	Jackknife estimation
jackknife postestimation	Postestimation tools for jackknife

Contents of Reference Volume 2

kappa	Interrater agreement
kdensity	Univariate kernel density estimation
ksmirnov	Kolmogorov–Smirnov equality-of-distributions test
kwallis	Kruskal–Wallis equality-of-populations rank test

ladder Ladder of powers
level Set default confidence level
lincom Linear combinations of estimators
linktest Specification link test for single-equation models
lnskew0 Find zero-skewness log or Box–Cox transform
log Echo copy of session to file or device
logistic Logistic regression, reporting odds ratios
logistic postestimation Postestimation tools for logistic
logit Logistic regression, reporting coefficients
logit postestimation Postestimation tools for logit
loneway Large one-way ANOVA, random effects, and reliability
lowess Lowess smoothing
lrtest Likelihood-ratio test after estimation
lv Letter-value displays

matsize Set the maximum number of variables in a model
maximize Details of iterative maximization
mean Estimate means
mean postestimation Postestimation tools for mean
meta Meta-analysis
mfp Multivariable fractional polynomial models
mfp postestimation Postestimation tools for mfp
mfx Obtain marginal effects or elasticities after estimation
mkspline Linear spline construction
ml Maximum likelihood estimation
mlogit Multinomial (polytomous) logistic regression
mlogit postestimation Postestimation tools for mlogit
more The —more— message
mprobit Multinomial probit regression
mprobit postestimation Postestimation tools for mprobit
mvreg Multivariate regression
mvreg postestimation Postestimation tools for mvreg

nbreg Negative binomial regression
nbreg postestimation Postestimation tools for nbreg and gnbreg
net Install and manage user-written additions from the net
net search Search Internet for installable packages
netio Control Internet connections
news Report Stata news
nl Nonlinear least-squares estimation
nl postestimation Postestimation tools for nl
nlcom Nonlinear combinations of estimators
nlogit Nested logit regression
nlogit postestimation Postestimation tools for nlogit
nptrend Test for trend across ordered groups

ologit Ordered logistic regression
ologit postestimation Postestimation tools for ologit
oneway One-way analysis of variance
oprobit Ordered probit regression
oprobit postestimation Postestimation tools for oprobit
orthog Orthogonalize variables and compute orthogonal polynomials

pcorr	Partial correlation coefficients
permute	Monte Carlo permutation tests
pk	Pharmacokinetic (biopharmaceutical) data
pkcollapse	Generate pharmacokinetic measurement dataset
pkcross	Analyze crossover experiments
pkequiv	Perform bioequivalence tests
pkexamine	Calculate pharmacokinetic measures
pkshape	Reshape (pharmacokinetic) Latin-square data
pksumm	Summarize pharmacokinetic data
poisson	Poisson regression
poisson postestimation	Postestimation tools for poisson
predict	Obtain predictions, residuals, etc., after estimation
predictnl	Obtain nonlinear predictions, standard errors, etc., after estimation
probit	Probit regression
probit postestimation	Postestimation tools for probit and dprobit
proportion	Estimate proportions
proportion postestimation	Postestimation tools for proportion
prtest	One- and two-sample tests of proportions
qc	Quality control charts
qreg	Quantile (including median) regression
qreg postestimation	Postestimation tools for qreg, iqreg, sqreg, and bsqreg
query	Display system parameters

Contents of Reference Volume 3

ranksum	Equality tests on unmatched data
ratio	Estimate ratios
ratio postestimation	Postestimation tools for ratio
reg3	Three-stage estimation for systems of simultaneous equations
reg3 postestimation	Postestimation tools for reg3
regress	Linear regression
regress postestimation	Postestimation tools for regress
regress postestimation time series	Postestimation tools for regress with time series
#review	Review previous commands
roc	Receiver-Operating-Characteristic (ROC) analysis
rocfit	Fit ROC models
rocfit postestimation	Postestimation tools for rocfit
rologit	Rank-ordered logistic regression
rologit postestimation	Postestimation tools for rologit
rreg	Robust regression
rreg postestimation	Postestimation tools for rreg
rntest	Test for random order
sampsi	Sample size and power determination
saved results	Saved results
scobit	Skewed logistic regression
scobit postestimation	Postestimation tools for scobit
sdtest	Variance-comparison tests
search	Search Stata documentation
serbar	Graph standard error bar chart

zip	Zero-inflated Poisson regression
zip postestimation	Postestimation tools for zip
ztnb	Zero-truncated negative binomial regression
ztnb postestimation	Postestimation tools for ztnb
ztp	Zero-truncated Poisson regression
ztp postestimation	Postestimation tools for ztp

Table of Contents

[M-0] Introduction to the Mata manual

intro	Introduction to the Mata manual	3
-------------	---------------------------------	---

[M-1] Introduction and advice

intro	Introduction and advice	7
ado	Using Mata with ado-files	8
first	Introduction and first session	15
help	Obtaining online help	30
how	How Mata works	31
interactive	Using Mata interactively	35
LAPACK	The LAPACK linear-algebra routines	43
limits	Limits and memory utilization	44
naming	Advice on naming functions and variables	46
permutation	An aside on permutation matrices and vectors	49
returnedargs	Function arguments used to return results	55
source	Viewing the source code	58
tolerance	Use and specification of tolerances	59

[M-2] Language definition

intro	Language definition	65
break	Break out of for, while, or do loop	67
continue	Continue with next iteration of for, while, or do loop	68
declarations	Declarations and types	70
do	do ... while (exp)	79
errors	Error codes	80
exp	Expressions	85
for	for (exp1; exp2; exp3) stmt	91
ftof	Passing functions to functions	93
goto	goto label	95
if	if (exp) ... else ...	96
op_arith	Arithmetic operators	98
op_assignment	Assignment operator	100
op_colon	Colon operators	105
op_conditional	Conditional operator	108
op_increment	Increment and decrement operators	110
op_join	Row- and column-join operators	113
op_kronecker	Kronecker direct-product operator	116
op_logical	Logical operators	117
op_range	Range operators	120
op_transpose	Conjugate transpose operator	122
optargs	Optional arguments	125
pointers	Pointers	130
pragma	Suppressing warning messages	140
reswords	Reserved words	143
return	return and return(exp)	145

semicolons	Use of semicolons	147
subscripts	Use of subscripts	151
syntax	Mata language grammar and syntax	158
version	Version control	166
void	Void matrices	169
while	while (exp) stmt	171

[M-3] Commands for controlling Mata

intro	Commands for controlling Mata	175
end	Exit Mata and return to Stata	177
mata	Mata invocation command	178
mata clear	Clear Mata's memory	182
mata describe	Describe contents of Mata's memory	183
mata drop	Drop matrix or function	185
mata help	Obtain online help	186
mata matsave	Save and restore matrices	187
mata memory	Report on Mata's memory usage	189
mata mlib	Create function library	190
mata mosave	Save function's compiled code in object file	196
mata rename	Rename matrix or function	198
mata set	Set and display Mata system parameters	199
mata stata	Execute Stata command	202
mata which	Identify function	203
namelists	Specifying matrix and function names	204

[M-4] Index and guide to functions

intro	Index and guide to functions	209
io	I/O functions	211
manipulation	Matrix manipulation	214
mathematical	Important mathematical functions	216
matrix	Matrix functions	218
programming	Programming functions	221
scalar	Scalar mathematical functions	223
solvers	Functions to solve $AX=B$ and to obtain A inverse	225
standard	Functions to create standard matrices	227
stata	Stata interface functions	229
statistical	Statistical functions	232
string	String manipulation functions	235
utility	Matrix utility functions	237

[M-5] Mata functions

intro	Mata functions	243
abs()	Absolute value (length)	244
all()	Element comparisons	245
args()	Number of arguments	247
ascii()	Manipulate ASCII codes	248
assert()	Abort execution if false	249
blockdiag()	Block-diagonal matrix	251

<code>C()</code>	Make complex	252
<code>c()</code>	Access <code>c()</code> value	254
<code>callersversion()</code>	Obtain version number of caller	255
<code>cat()</code>	Load file into string matrix	256
<code>chdir()</code>	Manipulate directories	257
<code>cholesky()</code>	Cholesky square-root decomposition	260
<code>cholinv()</code>	Symmetric, positive-definite matrix inversion	262
<code>cholsolve()</code>	Solve $AX=B$ for X using Cholesky decomposition	264
<code>comb()</code>	Combinatorial function	267
<code>cond()</code>	Condition number	268
<code>conj()</code>	Complex conjugate	270
<code>corr()</code>	Make correlation matrix from variance matrix	271
<code>cross()</code>	Cross products	272
<code>crossdev()</code>	Deviation cross products	280
<code>designmatrix()</code>	Design matrices	283
<code>det()</code>	Determinant of matrix	284
<code>diag()</code>	Create diagonal matrix	286
<code>diag0cnt()</code>	Count zeros on diagonal	288
<code>diagonal()</code>	Extract diagonal into column vector	289
<code>dir()</code>	File list	290
<code>direxists()</code>	Whether directory exists	292
<code>direxternal()</code>	Obtain list of existing external globals	293
<code>display()</code>	Display text interpreting SMCL	294
<code>displayas()</code>	Set display level	296
<code>displayflush()</code>	Flush terminal-output buffer	298
<code>dsign()</code>	FORTRAN-like <code>DSIGN()</code> function	299
<code>e()</code>	Unit vectors	300
<code>editmissing()</code>	Edit matrix for missing values	301
<code>editoint()</code>	Edit matrix for roundoff error (integers)	302
<code>edittozero()</code>	Edit matrix for roundoff error (zeros)	304
<code>editvalue()</code>	Edit (change) values in matrix	307
<code>eigensystem()</code>	Eigenvalues and eigenvectors	309
<code>eltype()</code>	Element type and organizational type of object	318
<code>epsilon()</code>	unit roundoff error (machine precision)	320
<code>_equilrc()</code>	Row and column equilibration	321
<code>error()</code>	Issue error message	327
<code>errprintf()</code>	Format output and display as error message	331
<code>exit()</code>	Terminate execution	333
<code>exp()</code>	Exponentiation and logarithms	335
<code>factorial()</code>	Factorial and gamma function	336
<code>favorspeed()</code>	Whether speed or space is to be favored	338
<code>fft()</code>	Fourier transform	339
<code>fileexists()</code>	Whether file exists	347
<code>_fillmissing()</code>	Fill matrix with missing values	348
<code>findexternal()</code>	Find, create, and remove external globals	349
<code>findfile()</code>	Find file	353
<code>fopen()</code>	File I/O	354
<code>fullsvd()</code>	Full singular value decomposition	366
<code>Hilbert()</code>	Hilbert matrices	371
<code>I()</code>	Identity matrix	372
<code>indexnot()</code>	Find character not in list	373

<code>invorder()</code>	Permutation vector manipulation	374
<code>invsym()</code>	Symmetric real matrix inversion	376
<code>isdiagonal()</code>	Whether matrix is diagonal	379
<code>isfleting()</code>	Whether argument is temporary	380
<code>isreal()</code>	Storage type of matrix	383
<code>isrealvalues()</code>	Whether matrix contains only real values	384
<code>issymmetric()</code>	Whether matrix is symmetric (Hermitian)	385
<code>isview()</code>	Whether matrix is view	386
<code>J()</code>	Matrix of constants	387
<code>logit()</code>	Log odds and complementary log-log	389
<code>lowertriangle()</code>	Extract lower or upper triangle	390
<code>lud()</code>	LU decomposition	393
<code>luinv()</code>	Square matrix inversion	396
<code>lusolve()</code>	Solve $AX=B$ for X using LU decomposition	398
<code>makesymmetric()</code>	Make square matrix symmetric (Hermitian)	402
<code>matexpsym()</code>	Exponentiation and logarithms of symmetric matrices	403
<code>matpowersym()</code>	Powers of a symmetric matrix	405
<code>mean()</code>	Means, variances, and correlations	407
<code>mindouble()</code>	Minimum and maximum nonmissing value	409
<code>minmax()</code>	Minimums and maximums	411
<code>missing()</code>	Count missing and nonmissing values	414
<code>missingof()</code>	Appropriate missing value	416
<code>mod()</code>	Modulus	417
<code>more()</code>	Create <code>--more--</code> condition	418
<code>norm()</code>	Matrix and vector norms	419
<code>normal()</code>	Cumulatives, reverse cumulatives, and densities	421
<code>panelsetup()</code>	Panel-data processing	425
<code>pathjoin()</code>	File path manipulation	433
<code>pinv()</code>	Moore–Penrose pseudoinverse	436
<code>polyeval()</code>	Manipulate and evaluate polynomials	438
<code>printf()</code>	Format output	442
<code>qrd()</code>	QR decomposition	446
<code>qrinv()</code>	Generalized inverse of matrix via QR decomposition	454
<code>qrsolve()</code>	Solve $AX=B$ for X using QR decomposition	456
<code>quadcross()</code>	Quad-precision cross products	459
<code>range()</code>	Vector over specified range	461
<code>rank()</code>	Rank of matrix	463
<code>Re()</code>	Extract real or imaginary part	465
<code>reldif()</code>	Relative/absolute difference	466
<code>rows()</code>	Number of rows and number of columns	468
<code>rowshape()</code>	Reshape matrix	469
<code>setbreakintr()</code>	Break-key processing	471
<code>sign()</code>	Sign and complex quadrant functions	474
<code>sin()</code>	Trigonometric and hyperbolic functions	476
<code>sizeof()</code>	Number of bytes consumed by object	478
<code>solvelower()</code>	Solve $AX=B$ for X , A triangular	479
<code>solve_tol()</code>	Tolerance used by solvers and inverters	482
<code>sort()</code>	Reorder rows of matrix	484
<code>spline3()</code>	Cubic spline interpolation	487
<code>sqrt()</code>	Square root	489
<code>st_addobs()</code>	Add observations to current Stata dataset	490

<code>st_addvar()</code>	Add variable to current Stata dataset	492
<code>st_data()</code>	Load copy of current Stata dataset	496
<code>st_dir()</code>	Obtain list of Stata objects	500
<code>st_dropvar()</code>	Drop variables or observations	502
<code>st_global()</code>	Obtain strings from and put strings into global macros	504
<code>st_isfmt()</code>	Whether valid %fmt	508
<code>st_isname()</code>	Whether valid Stata name	509
<code>st_local()</code>	Obtain strings from and put strings into Stata macros	510
<code>st_macroexpand()</code>	Expand Stata macros in string	511
<code>st_matrix()</code>	Obtain and put Stata matrices	512
<code>st_numscalar()</code>	Obtain values from and put values into Stata scalars	516
<code>st_nvar()</code>	Number of variables and observations	518
<code>st_rclear()</code>	Clear <code>r()</code> , <code>e()</code> , or <code>s()</code>	519
<code>st_store()</code>	Modify values stored in current Stata dataset	521
<code>st_subview()</code>	Make view from view	523
<code>st__tempname()</code>	Temporary Stata names	527
<code>st_tsrevar()</code>	Create time-series op.varname variables	529
<code>st_updata()</code>	Determine or set data-have-changed flag	530
<code>st_varformat()</code>	Obtain/set format, etc., of Stata variable	532
<code>st_varindex()</code>	Obtain variable indices from variable uames	534
<code>st_varname()</code>	Obtain variable names from variable indices	536
<code>st_varrename()</code>	Rename Stata variable	538
<code>st_vartype()</code>	Storage type of Stata variable	539
<code>st__view()</code>	Make matrix that is a view onto current Stata dataset	540
<code>st__viewvars()</code>	Variables and observations of view	545
<code>st__vlexists()</code>	Use and manipulate value labels	546
<code>stata()</code>	Execute Stata command	550
<code>strdup()</code>	String duplication	553
<code>strlen()</code>	Length of string	554
<code>strmatch()</code>	Determine whether string matches pattern	555
<code>stroofreal()</code>	Convert real to string	556
<code>strpos()</code>	Find substring in string	557
<code>strreverse()</code>	Reverse string	558
<code>strtrim()</code>	Remove blanks	559
<code>strupper()</code>	Convert string to uppercase (lowercase)	560
<code>subinstr()</code>	Substitute text	561
<code>substr()</code>	Extract substring	563
<code>sum()</code>	Sums	565
<code>svd()</code>	Singular value decomposition	567
<code>svsolve()</code>	Solve $AX=B$ for X using singular value decomposition	570
<code>swap()</code>	Interchange contents of variables	573
<code>Toeplitz()</code>	Toeplitz matrices	575
<code>tokens()</code>	Obtain tokens from string	576
<code>trace()</code>	Trace of square matrix	578
<code>__transpose()</code>	Transposition in place	581
<code>transposeonly()</code>	Transposition without conjugation	583
<code>trunc()</code>	Round to integer	585
<code>uniform()</code>	Uniformly distributed random numbers	587
<code>uniqrows()</code>	Obtain sorted, unique values	589
<code>unitcircle()</code>	Complex vector containing unit circle	590
<code>unlink()</code>	Erase file	591

valofexternal()	Obtain value of external global	592
Vandermonde()	Vandermonde matrices	593
vec()	Stack matrix columns	594

[M-6] Mata glossary of common terms

glossary	Mata glossary of common terms	599
----------	-------------------------------	-----